

The NEC IT6030

Power, Performance



NEC

Specifications

BASIC SPECIFICATIONS:

CONFIGURATION:

Enterprise/Workgroup Multifunctional with optional Print and Scan Systems. Standard 200 Sheet Dual Scan Document Processor, Duplex, 1,500 x 2 Sheet Letter Size Paper Decks, 525 x 2 Paper Drawers Plus 100 Sheet Multi-Purpose Tray. Optional Advanced Finishing and Paper Handling.

RESOLUTION: 600 DPI. Interpolated 1800 x 600 DPI Resolution / 256 Levels, Fast 1200 Mode Print Resolution

COPIER MEMORY: Standard 128MB RAM, 40GB Hard Disk Drive

MAGNIFICATION: Full Size, 7 Reduction, 4 Enlargement Preset Ratios, Plus 25-400% Zoom

ELECTRICAL REQUIREMENTS:

120V, 60Hz, 16A (requires 20amp circuit)

DIMENSIONS: 26.8"W x 30.9"D x 46.9"H

WEIGHT: 415 lbs

MAX MONTHLY VOLUME: 350,000 Pages Per Month

OUTPUT SPEEDS:

WARM-UP TIME: Within 30 Seconds, Program and Scan During Warm-up, Auto Start

FIRST COPY OUT: 3.6 Seconds (Face-up)

FIRST PRINT OUT: 3.2 Seconds (Face-down)

PAGES PER MINUTE: 60 Letter, 37 Legal, 31 Ledger

PAPER SUPPLY:

STANDARD PAPER SOURCES:

1,500 x 2 Sheet Letter Size Paper Decks, Dual 525 Sheet Universal Paper Drawers, 100 Sheet MPT, Auto Selection / Switching, Add Paper While Running

DRAWER PAPER SIZE: 5.5" x 8.5" - 11" x 17"

MPT PAPER SIZE : 5.5" x 8.5" - 11" x 17"

STD/MAXPAPERCAPACITY: 4,150 / 8,150

PAPER WEIGHT: 16 lb Bond - 90 lb Index via Paper Drawers, 13 lb Bond - 110 lb Index via MPT

INPUT MATERIALS: Bond Paper, Recycled Paper, Transparencies, Labels, Envelopes

DOCUMENT FEEDER: (STANDARD)

TYPE: Dual Scan Document Feeder

ACCEPTABLE ORIGINALS: 5.5" x 8.5" - 11" x 17", Mixed Size Processing

CAPACITY: 200 Sheet / 80 Letter Size Originals Per Minute

PAPER WEIGHT: 13 - 43 lb Bond

DUPLEX UNIT: (STANDARD)

PAPER SIZE: 5.5" x 8.5" - 11" x 17"

PAPER WEIGHT: 16 - 28 lb Bond

DUPLEX MODES: Standard 1:2, 2:2, Book: 2, 2:1

PAPER HANDLING OPTIONS:

PAPER DECK: KU12PF-650

PAPER CAPACITY: 4,000 Sheets

PAPER WEIGHT: 17 lb Bond - 90 lb Index

PAPER SIZE: 8.5" x 11"

DIMENSIONS / WEIGHT: 14.6"W x 23.2"D x 27.3"H / 90.4 lbs

PAPER DECK: KU12PF-660

PAPER CAPACITY: 4,000 Sheets

PAPER WEIGHT: 17 lb Bond - 110 lb Index

PAPER SIZE: 8.5" x 11", 8.5" x 14", 11" x 7"

DIMENSIONS / WEIGHT: 26.4"W x 22.8"D x 27.7"H / 99.2 lbs

MULTI-FUNCTIONAL FINISHER: KU12DF-650

STACK CAPACITY: Main Tray: 3,000 Sheets; Sub Tray: 200 Sheets

PAPER SIZE: Main: 8.5" x 11" - 11" x 17"; Sub: 5.5" x 8.5" - 11" x 17"

PAPER WEIGHT: 12 lb Bond - 110 lb Index

STAPLE CAPACITY: 50 Sheets: 8.5" x 11"; 30 Sheets: 8.5" x 14", 11" x 17"

EDGE STAPLE POSITION: 4 Positions: Top Left, Bottom Left, Left Side, Center

SADDLE STITCH: 8.5" x 11" - 11" x 17"; Up to 16 Sheets

DIMENSIONS / WEIGHT: 31.4"W x 25.2"D x 43.3"H / 161 lbs

MULTI TRAY: KU12MT-1

NUMBER OF TRAYS: 5

CAPACITY: 150 Sheets (8.5" x 11") Per Tray

PAPER SIZE: 5.5" x 8.5" - 11" x 17"

PAPER WEIGHT: 12 lb Bond - 90 lb Index

DIMENSIONS / WEIGHT: 14.5"W x 15.5"D x 22.6"H / 33 lbs

BOOKLET FOLDER: KU12BF-1

FOLDING CAPACITY: 1 - 16 Sheets

CAPACITY: 1 - 5 Sheets - 30 Booklets; 6 - 10 Sheets - 20 Booklets; 11 - 16 Sheets - 10 Booklets

PAPER SIZE: 8.5" x 11" - 11" x 17"

PAPER WEIGHT: 16 lb Bond - 110 lb Index, Over 20 lb is one sheet only

DIMENSIONS / WEIGHT: 23.3"W x 17"D x 10"H / 42 lbs

PUNCH UNIT: KU12PH-4

PAPER SIZE: 8.5" x 11" - 11" x 17"

PAPER WEIGHT: 12 lb Bond - 110 lb Index

NUMBER OF HOLES: 2 and 3

WEIGHT: 7 lbs

NETWORK PRINTING SYSTEM: KU12P-V

CONTROLLER: Embedded PowerPC750 / 600 MHz Controller

PRINTER MEMORY: Standard 64MB, Upgradeable to 576MB via 100 Pin DIMMS, Optional e-MPS Printer HDD, Standard CF Card Slot (Type 1)

SUPPORTED PDL/EMULATIONS: PRE-SCRIBE, PCL6 (PCL XL, PCL 5e), KPDL3 (PS3), KCGL (HP-GL/2), Diablo 630, IBM ProPrinter X24, Epson LQ850, Line Printer

FONTS: 80 Outline Fonts for PCL XL/5e, 136 Outline Fonts for KPDL3, 1 Bitmap Font

WINDOWS® OS COMPATIBILITY: Windows® 95/98/Me/NT4.x/2000/XP/2003/Vista

NOVELL® OS COMPATIBILITY: Novell NetWare® 3.x/4.x/5.x/6.x

MAC OS COMPATIBILITY: OS 8.x/9.x/10.x

UNIX OS COMPATIBILITY: Sun OS 4.1.x; Solaris 2.x; AIX, HP-UX (LPR)

CONNECTIVITY / INTERFACE: Standard 10/100BaseTX, High Speed USB 2.0, Parallel IEEE1284

KUIO LV EXPANSION SLOTS (2): Optional e-MPS Hard Disk Drive
Optional IB-23 NIC

SUPPORTED PROTOCOLS: TCP/IP, IPX/SPX, AppleTalk, NetBEUI

DRIVER: Driver for Windows, PPD for Mac, PPD for Linux/UNIX, Certified Uni Driver, Windows 64-bit Drivers

UTILITIES: NET Viewer, PDF Direct Print, Spool Center, NET for Clients, NET Printer Disk Manager, Network Advanced Setup Utilities

HARD DISK DRIVE FOR E-MPS: KU12HD-10

ENABLES E MPS FUNCTIONS: Private Print, Job Storage, Quick Copy, Proof and Hold, Virtual MailBoxes

NETWORK SCANNING SYSTEM: KU12S-G

RESOLUTION: 200, 300, 400, 600 DPI

SCAN SPEED: Up to 80 Sheets Per Minute

FILE FORMATS: PDF, TIFF

CONNECTIVITY: Standard 10/100BaseTX

SUPPORTED PROTOCOLS: TCP/IP

SCANNING FEATURES: Document Flow System - Document Management System, Scan to PC/File, Scan to Mac, Scan to E-Mail, Scan to FTP, TWAIN

DRIVER: TWAIN Driver, TWAIN Driver for Mac

UTILITIES: DB-Assistant, Scanner File Utility, Scan to Mac Utility, Scanner Address Book, Address Book Editor, LDAP Converter Utility, Network Advanced Setup Utilities

DATA SECURITY KIT (B): KU12DSC

Provides security overwrite for automatic-manual deletion of copy and print data

ADDITIONAL OPTIONS: 32/64/128/256MB memory DIMMs for Print System; IB-23 (IPv6 Enhanced NIC); IB-22 (Wireless NIC)

©2007 NEC Unified Solutions, Inc.

All rights reserved. Reproduction in whole or in part without written permission is prohibited. All other brands and product names are registered trademarks or trademarks of their respective owners. All trademarks identified by ® and ™ are registered trademarks or trademarks, respectively. Design & specifications are subject to change without notice. *Some functions may require options, which may or may not be available at time of launch.

To find out more about the NEC IT6030 and how NEC's powerful and versatile technology platforms can work for you, visit our website at www.necunifiedsolutions.com

The NEC IT6030

**The NEC IT6030 provides;
Enterprise/Workgroup
Copying & Multi-Function
for your business.**



Document Solutions

The NEC IT6030 is a fully featured digital copier, with multi-function options including; printer and networked scanner. A powerful 60 page per minute laser engine, standard duplex output, interactive touch panel and a full range of available networking functions, the NEC IT6030 is designed to meet the needs of your Enterprise/Workgroups.

The NEC IT6030 offers standard paper sources that includes; two 1,500 sheet paper decks plus two 525 sheet draws and a 100 sheet multi-purpose bypass tray. Providing a robust standard paper capacity of 4,150 sheets. Optional additional paper sources provide an additional 4,000 sheets if required offering a total of over 8,000 sheets. A new dual scan duplex document feeder scans a double sided document in a single pass! With 200 page capacity the dual scan document feeder can scan as fast as 80 originals per minute.

An available Network Printing System offers a low operation cost alternative to network printers and provides full network management and finishing features. Available Scan System provides networked integrated scanning.

Finishing options provide powerful document processing; multi-staple finisher 3,000 sheet capacity offering multi-position single or dual stapling, 50-sheet staple capabilities, available options include 2/3 hole punch, 60+page booklet folder, and print tray bins.

Ease of use, management and security are integrated for your business needs. The NEC IT6030 offers accessibility design; tilting control panel with large function keys and simple touch-screen command interface for comfortable, intuitive operation. Account management comes standard with up to 1,000 users. The standard 40 GB copy hard disk drive provides image store. An available Security Kit offers data security for the HDD.

COPY

The NEC IT6030 provides 60-cpm speed, a powerful replacement for your current copier/printer – with fast first-copy output and high-output print productivity. A full complement of finishing options offers your organization complete document copying solutions. Some of the copy functions provided;

Imaging Modes: Text, Photo, Text / Photo, Auto, Manual

Continuous Copy: Up to 9,999, Auto Reset to 1

Additional Features: Auto Center, Magnification and Paper Select, Batch Copy, Booklet Mode, Book Mode, Combine Image, Covers, Inserts, Erase Mode, Image Overlay, Image Rotate, Image Reverse, Interrupt, Job Build, 9 Job-Reserves, Job Queue, Margin Shift, Mirror Image, Memo Mode, Modify Copy, Proof Copy, Page Numbering, Transparency Mode, Job Time Information, 1,000 Management Codes, XY Zoom, 3 Shortcut Keys

Document Management: Store Documents, File Merge, Forms Composition, Repeat Copy



PRINT

The NEC IT6030 Print System option offers networked printing PCL6 and PostScript-3 emulation for Windows, Mac, Novell, and Unix/Linux operating systems. Now your entire office can network and print, with duplex output up to 11" X 17". Extended features include; finishing, booklet, secure printing, and more.

SCAN

The NEC IT6030 Network Scanning option provides multiple scan functions to; import documents, convert your paper document base to files, and communicate your information via electronic file.

Scan-to-Email: Communicate your documents to anyone's email. The NEC IT6030 sends scanned documents in file format within an email.

Scan-to-FTP: Scan your documents to an FTP server for access by users to view and or retrieve the document, using proxy servers.

Scan-to-PC/File: Scan directly to your desktop, offers you the ability to scan directly to a Host PC on the network.



SECURITY

Available security features allow you to store and access documents, prints, copies, in a hard disk drive of your NEC IT6030 – to protect your information. Also an available security kit provides overwrite and erase functions for HDD.

NETWORK INTEGRATION

The NEC IT6030 has an available suite of utilities providing solutions for device management, document control, networking integration and administrative productivity.